

LIVING STONES MASONRY

TECHNICAL DATA SHEET

The Living Stones Masonry collection of manufactured stone veneers is engineered to meet or exceed specifications for all code approvals. Manufacturers who offer “just like” or a so-called “equivalent” to Living Stones Masonry manufactured stone veneer products should be asked to document claims of test results and research reports.

Complete copies of this Living Stones Masonry manufactured stone veneer compliance report is available upon request:

- Tested by National Concrete Masonry Association

Note: Local building codes may vary; always check with your local building code authority prior to installation. Concrete class, PSI: 5000.

Results of tests conducted by an independent testing agency confirm that the Living Stones Masonry collection of manufactured stone veneers conform to or exceeds the following test requirements as specified in ICC Evaluation Service Acceptance Criteria 51 for Precast Stone Veneer:

MATERIALS

Cement	ASTM C 150 or ACI 318 Section 3.2.1
Sand	ASTM C 144 or C 33
Aggregate	ASTM C 33 or C 330 (except gradation), C 331

TESTING

Shear Bond Test (adhesion)	Tested in accordance with ASTM C 482	>200 psi
Water Absorption	Tested in accordance with UBC 15-5	14%
Strength	Tested in accordance with ASTM C 39	>6000 psi @ 28 days
Unit Weight	Density is determined in accordance with ASTM C 567	<15 lbs. per square foot
Tensile Strength	Tested in accordance with ASTM C 190	Reported
Flexural Strength	Tested in accordance with ASTM C 348	Reported

Build on the Solid Rock with Living Stones Masonry

Living Stones Masonry
70 Pitney Road
Lancaster, PA 17602
717.517.8570

To learn more about Living Stones Masonry, LLC visit www.livingstonesmasonry.com